







SODIUM CARBONATE ANHYDROUS SAFETY DATA SHEET

1. Product Identification

Synonyms:

Supplier:

Carbonic acid, disodium salt; disodium carbonate; soda ash **Recommended Use:** Buffering of groundwater contaminated with chlorinated solvents and other anaerobically degradable compounds. Terra Systems, Inc. 130 Hickman Road, Suite 1 Claymont, Delaware 19703 Telephone (302) 798-9553 Fax (302) 798-9554 www.terrasystems.net

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent Haza	ardous
Sodium Carbonate	497-19-8	99 - 100%	Yes
CAS No.: 497-19-8			

CAS No.: 497-19-8 Molecular Weight: 105.99 Chemical Formula: Na₂CO₃

3. Hazards Identification

Emergency Overview

DANGER! MAY CAUSE EYE BURNS. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN AND RESPIRATORY TRACT.

Health Rating: 1 - Slight Flammability Rating: 0 - None Reactivity Rating: 1 - Slight Contact Rating: 2 - Moderate Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES Storage Color Code: Orange (General Storage)









Potential Health Effects

Inhalation:

Inhalation of dust may cause irritation to the respiratory tract. Symptoms from excessive inhalation of dust may include coughing and difficult breathing. Excessive contact is known to cause damage to the nasal septum.

Ingestion:

Sodium carbonate is only slightly toxic, but large doses may be corrosive to the gastro-intestinal tract where symptoms may include severe abdominal pain, vomiting, diarrhea, collapse and death.

Skin Contact:

Excessive contact may cause irritation with blistering and redness. Solutions may cause severe irritation or burns.

Eye Contact:

Contact may be corrosive to eyes and cause conjuctival edema and corneal destruction. Risk of serious injury increases if eyes are kept tightly closed. Other symptoms may appear from absorption of sodium carbonate into the bloodstream via the eyes.

Chronic Exposure:

Prolonged or repeated skin exposure may cause sensitization.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Note to Physician:

Consider endoscopy in all suspected cases of sodium carbonate poisoning. Perform blood analysis to determine if dehydration, acidosis, or other electrolyte imbalances occurred.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard.









Explosion:

Not considered an explosion hazard, but sodium carbonate may explode when applied to red-hot aluminum.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.

Special Information:

Use protective clothing and breathing equipment appropriate for the surrounding fire.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to the dust or mist is apparent, a half-face dust/mist respirator may be worn. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance: White powder or granules. Odor:









Odorless. Solubility: 45.5 g/100 ml water @ 100C (212F) **Specific Gravity:** 2.53pH: 11.6 Aqueous solution % Volatiles by volume @ 21C (70F): 0 **Boiling Point:** Decomposes. **Melting Point:** 851C (1564F) Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): No information found. **Evaporation Rate (BuAc=1):** No information found.

10. Stability and Reactivity

Stability:

Stable under ordinary conditions of use and storage. Hygroscopic. Readily absorbs moisture from the air. Solutions are strong bases.

Hazardous Decomposition Products:

Oxides of carbon and sodium oxide.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Fluorine, aluminum, phosphorous pentoxide, sulfuric acid, zinc, lithium, moisture, calcium hydroxide and 2,4,6-trinitrotoluene. Reacts violently with acids to form carbon dioxide.

Conditions to Avoid:

Moisture, heat, dusting and incompatibles.

11. Toxicological Information

For Sodium Carbonate:

Oral rat LD50: 4090 mg/kg; inhalation rat LC50: 2300 mg/m3/2H; irritation eye rabbit: 50 mg severe; investigated as a mutagen, reproductive effector.

NTP	Carcinoge		
Ingredient	Known	Anticipated	IARC Category
Sodium Carbonate (497-19-8)	No	No	None









12. Ecological Information

Environmental Fate:

No information found. Environmental Toxicity: No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

Ingredient	atus - Part 1\ TSCA EC Japan Australia
Sodium Carbonate (497-19-8)	
\Chemical Inventory Sta	atus - Part 2\ Canada
Ingredient	Korea DSL NDSL Phil.
Sodium Carbonate (497-19-8)	Yes Yes No Yes
•	ational Regulations - Part 1\
Ingredient	RA 302SARA 313 RQ TPQ List Chemical Catg.
Ingredient	RQ TPQ List Chemical Catg.
Ingredient Sodium Carbonate (497-19-8)	RQ TPQ List Chemical Catg. No No No No No ational Regulations - Part 2\
Ingredient Sodium Carbonate (497-19-8) \Federal, State & Interna	RQ TPQ List Chemical Catg. No No No No ational Regulations - Part 2\ -RCRATSCA- CERCLA 261.33 8(d)

Poison Schedule: S5 WHMIS:









This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 0

Label Hazard Warning:

DANGER! MAY CAUSE EYE BURNS. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN AND RESPIRATORY TRACT.

Label Precautions:

Do not get in eyes, on skin, or on clothing.

Avoid breathing dust.

Keep container closed.

Use with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. Get medical attention for any breathing difficulty. In all cases, get medical attention.

Product Use:

Laboratory Reagent.

Revision Information:

Disclaimer:

Terra Systems provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. TERRA SYSTEMS MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Terra Systems, Inc.Phone Number: (302) 798--9553 (U.S.A.)